

TVS põllumajandus- ja tööstusrehvide hinnakiri

Kehtib alates 14.01.2022.a.



Rehvi mõõt	Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga
Agrotruck						
3AGI5021581211	215/75-17,5(8,5/75-17,5)	IM81	TL	12	122,0	146,4
3AGI5021581611	215/75-17,5(8,5/75-17,5)	IM81	TL	16	155,0	186,0
3AGI5023581611	235/75-17,5	IM81	TL	16	184,0	220,8
3AGI5028581211	285/70-19,5(11,0/70-19,5)	IM81	TL	12	252,0	302,4
3AGI5028581811	285/70-19,5(11,0/70-19,5)	IM81	TL	18	262,0	314,4
3AGI5042581611	425/55-19,5(17,0/55-19,5)	IM81	TL	16	446,0	535,2
3AGI5022591611	225/75-17,5	IM90	TL	16	179,0	214,8
Compactor						
3COM5092011610	9,00-20	CT09	TT	16	358,0	429,6
3COM5011211810	11,00-20	CT09	TT	18	466,0	559,2
3TR5023611211	23,1-26	TM09	TL	12	1014,0	1216,8
Farm						
3FRM5095510811	9,5L-15SL	I1	TL	8	88,0	105,6
3FRM5095511211	9,5L-15SL	I1	TL	12	93,0	111,6
3FRM5011521011	11L-15SL F3	F3	TL	10	144,0	172,8
3FRM5011510811	11L-15SL I1	I1	TL	8	97,0	116,4
3FRM5011511010	11L-15SL I1	I1	TT	10	95,0	114,0
3FRM5011511011	11L-15SL I1	I1	TL	10	105,0	126,0
3FRM5011511211	11L-15SL I1	I1	TL	12	105,0	126,0
3FRM5012511011	12,5L-15SL	I1	TL	10	135,0	162,0
3FRM5012511211	12,5L-15SL	I1	TL	12	144,0	172,8
3FRM5075610810	7,50-16SL	I1	TT	8	86,0	103,2
3FRM5091611010	9,00-16SL I1	I1	TT	10	114,0	136,8
3FRM5011621011	11L-16SL	F3	TL	10	164,0	196,8
3FRM5011621211	11L-16SL	F3	TL	12	171,0	205,2
3FRM5012611211	12,5L-16 SL	I1	TL	12	138,0	165,6
3FRM5012611010	12,5L-16 SL	I1	TT	10	129,0	154,8
3FRM5012611011	12,5L-16 SL	I1	TL	10	134,0	160,8
3FRM5012611411	12,5L-16 SL	I1	TL	14	144,0	172,8
Flotation						
3FLT5052056011	500/45-20(19,5/45-20)	TC09	160A8	TL	445,0	534,0
3FLT5036511611	385/65-22,5	FL09		TL	382,0	458,4
3FLT5045511611	400/55-22,5	FL09	152A8/140A8	TL	384,0	460,8
3FLT5054511611	500/45-22,5	FL09	155A8/142A8	TL	437,0	524,4
3FLT5055411611	550/45-22,5	FL09	159A8/147A8	TL	513,0	615,6
3FLT5055611611	550/60-22,5(21,5/60-22,5) (E4)	FL09	167A8/154A8	TL	657,0	788,4
3FLT5055621611	550/60-22,5(21,5/60-22,5) (HFL)	FL09	167A8/154A8	TL	578,0	693,6
3FLT5056011611	500/60-22,5(19,5/60-22,5) (E4)	FL09	163A8/151A8	TL	568,0	681,6

Rehvi mõõt	Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga	
3FLT5056021611	500/60-22,5(19,5/60-22,5) (HFL)	FL09	163A8/151A8	TL	16	578,0	693,6
3FLT5065011611	600/50-22,5(23,5/50-22,5)	FL09		TL	16	686,0	823,2
3FLT5074011611	700/40-22,5(27,5/40-22,5)	FL09		TL	16	767,0	920,4
3FLT5082241611	18,00-22,5(445/65-22,5) (E4)	MT90	163F	TL	16	663,0	795,6
3FLT5082242011	18,00-22,5(445/65-22,5)	MT90	166F	TL	20	747,0	896,4
3FLT5055551611	550/55-22,5(21,5/55-22,5)	TC09		TL	16	641,0	769,2
3FLT5064056911	600/40-22,5(23,5/40-22,5)	TC09	169A8/173A6	TL		738,0	885,6
3FLT5056051611	500/60-22,5(19,5/60-22,5)	TC09S		TL	16	628,0	753,6
3FLT5082231611	18,00-22,5(445/65-22,5)	TE09	163F	TL	16	672,0	806,4
3FLT5082232011	18,00-22,5(445/65-22,5) (E4)	TE09	168F	TL	20	772,0	926,4
Implement							
3IMP5018290811	10,0/80-12 (255/80-12)	IM117		TL	8	78,0	93,6
3IMP5018291011	10,0/80-12 (255/80-12)	IM117		TL	10	79,0	94,8
3IMP5018210811	10,0/80-12 (255/80-12)	IM18		TL	8	86,0	103,2
3IMP5018211011	10,0/80-12 (255/80-12)	IM18		TL	10	88,0	105,6
3IMP5071210611	7,00-12	IM18		TL	6	65,0	78,0
3IMP5024801011	24*8,00-14,5 (200/60-14,5)	IM09		TL	10	79,0	94,8
3IMP5024801411	24*8,00-14,5 (200/60-14,5)	IM09		TL	14	78,0	93,6
3IMP5031568811	31*15,5-15	HF09		TL	8	206,0	247,2
3IMP5031518811	31x15,50-15	HF18		TL	8	205,0	246,0
3IMP5031527811	31x15,50-15	HF27		TL	8	204,0	244,8
3IMP5010791011	10,0/75-15,3(255/75-15,3)	IM117	128A6/123A8	TL	10	98,0	117,6
3IMP5010791211	10,0/75-15,3(255/75-15,3)	IM117	132A6/126A8	TL	12	105,0	126,0
3IMP5010791411	10,0/75-15,3(255/75-15,3)	IM117	136A6/130A8	TL	14	100,0	120,0
3IMP5010791811	10,0/75-15,3(255/75-15,3)	IM117	140A6/137A8	TL	18	123,0	147,6
3IMP5011891011	11,5/80-15,3(295/80-15,3)	IM117		TL	10	131,0	157,2
3IMP5011891211	11,5/80-15,3(295/80-15,3)	IM117		TL	12	131,0	157,2
3IMP5011891411	11,5/80-15,3(295/80-15,3)	IM117		TL	14	127,0	152,4
3IMP5011891611	11,5/80-15,3(295/80-15,3)	IM117		TL	16	144,0	172,8
3IMP5011891811	11,5/80-15,3(295/80-15,3)	IM117		TL	18	137,0	164,4
3IMP5010711011	10,0/75-15,3(255/75-15,3)	IM18	132A6/126A8	TL	10	110,0	132,0
3IMP5010711211	10,0/75-15,3(255/75-15,3)	IM18	132A6/126A8	TL	12	114,0	136,8
3IMP5010711411	10,0/75-15,3(255/75-15,3)	IM18	136A6/130A8	TL	14	122,0	146,4
3IMP5010711811	10,0/75-15,3(255/75-15,3)	IM18		TL	18	145,0	174,0
3IMP5011811011	11,5/80-15,3(295/80-15,3)	IM18		TL	10	141,0	169,2
3IMP5011811211	11,5/80-15,3(295/80-15,3)	IM18		TL	12	144,0	172,8
3IMP5011811411	11,5/80-15,3(295/80-15,3)	IM18		TL	14	154,0	184,8
3IMP5011811611	11,5/80-15,3(295/80-15,3)	IM18		TL	16	159,0	190,8
3IMP5011811811	11,5/80-15,3(295/80-15,3)	IM18		TL	18	163,0	195,6
3IMP5028351411	12,5/80-15,3(335/80-15,3)	IM27		TL	14	166,0	199,2
3IMP5028351611	12,5/80-15,3(335/80-15,3)	IM27	149A6/145A8	TL	16	171,0	205,2
3IMP5010741011	10,0/75-15,3 (255/75-15,3)	MT63		TL	10	149,0	178,8
3IMP5010741411	10,0/75-15,3 (255/75-15,3)	MT63		TL	14	157,0	188,4
3IMP5011841011	11,5/80-15,3(295/80-15,3)	MT63T		TL	10	187,0	224,4
3IMP5011841411	11,5/80-15,3(295/80-15,3)	MT63T		TL	14	207,0	248,4
3IMP5040681411	400/60-15,5	IM126	149A6/149A8	TL	14	181,0	217,2

Rehvi mõõt		Muster	LI/SS	TL/ T'T	PR	Hind km-ta	Hind km-ga
3IMP5040681811	400/60-15,5	IM126	155A6/151A8	TL	18	198,0	237,6
3IMP5040682211	400/60-15,5	IM126	159A6/155A8	TL	22	228,0	273,6
3IMP5040640011	400/60-15,5	IM36		TL	14	205,0	246,0
3IMP5040641811	400/60-15,5	IM36		TL	18	230,0	276,0
3IMP5040642211	400/60-15,5	IM36		TL	22	251,0	301,2
3IMP5040661411	400/60-15,5	IM72		TL	14	202,0	242,4
3IMP5040662211	400/60-15,5	IM72		TL	22	250,0	300,0
3IMP5040671811	400/60-15,5	IM72		TL	18	239,0	286,8
3IMP5034604011	13,0/55-16(340/55-16)	IM153	142/132B	TL		196,0	235,2
3IMP5036605011	360/65-16(14,0/65-16)	IM153	150A8	TL		257,0	308,4
3IMP5016611410	10,5/65-16(265/65-16)	IM18		T'T	14	128,0	153,6
3IMP5016611411	10,5/65-16(265/65-16)	IM18		TL	14	142,0	170,4
3IMP5061610610	6,00-16	IM18		T'T	6	60,0	72,0
3IMP5035641211	13,0/55-16(330/55-16)	IM36		TL	12	181,0	217,2
3IMP5035641411	13,0/55-16(330/55-16)	IM36		TL	14	182,0	218,4
3IMP5035641811	13,0/55-16(330/55-16)	IM36		TL	18	211,0	253,2
3FLT5055714911	500/50-17(19,5/50-17)	FL09	136/149A8	TL		383,0	459,6
3FLT5055715511	500/50-17(19,5/50-17)	FL09	142/155A8	TL		393,0	471,6
3FLT5055775911	520/50-17	FL18	159/147B	TL		408,0	489,6
3IMP5015781411	15,0/55-17	IM126		TL	14	201,0	241,2
3IMP5055736411	520/50-17	IM135	161B	TL		434,0	520,8
3IMP5015741411	15,0/55-17(385/55-17)	IM36		TL	14	206,0	247,2
3IMP5015741811	15,0/55-17(385/55-17)	IM36		TL	18	244,0	292,8
3IMP5055741811	500/50-17(19,5/50-17)	IM36		TL	18	349,0	418,8
3IMP5055791411	500/50-17(19,5/50-17)	IM36	149A8	TL	14	325,0	390,0
3IMP5094741411	19,0/45-17(485/45-17)	IM36		TL	14	303,0	363,6
3IMP5094741811	19,0/45-17(485/45-17)	IM36		TL	18	292,0	350,4
3IMP5094742011	19,0/45-17(485/45-17)	IM36		TL	20	321,0	385,2
3IMP5055761411	500/50-17(19,5/50-17)	IM72		TL	14	346,0	415,2
3IMP5055761811	500/50-17(19,5/50-17)	IM72		TL	18	348,0	417,6
3IMP5036841611	13,0/65-18(340/65-18)	IM36		TL	16	237,0	284,4
3IMP5057811411	15,0/70-18	IM36		TL	14	300,0	360,0
3IMP5012831211	12,5/80-18	IM45		TL	12	269,0	322,8
3IMP5012831611	12,5/80-18	IM45		TL	16	289,0	346,8
3IMP5018821011	10,5/80-18	IM45		TL	10	212,0	254,4
3IMP5012811211	12,5/80-18(335/80-18)	MT45		TL	12	275,0	330,0
3IMP5012811411	12,5/80-18(335/80-18)	MT45		TL	14	282,0	338,4
3IMP5018811011	10,5/80-18(265/80-18)	MT45		TL	10	201,0	241,2
3IMP5018811411	10,5/80-18(265/80-18)	MT45		TL	14	209,0	250,8
3IMP5012731211	12,0/75-18(305/75-18)	MT63		TL	12	240,0	288,0
3IMP5062011611	16,0/70-20(405/70-20)	IM36		TL	16	367,0	440,4
Industrial							
3IND5016611810	16*6-8	IT30		T'T	18	64,0	76,8
3IND5050811210	5,00-8	IT30		T'T	12	56,0	67,2
3IND5087811810	18*7-8	IT30		T'T	18	79,0	94,8
3IND5050821010	5,00-8	IT45		T'T	10	45,0	54,0

Rehvi mõõt	Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga
3IND5087821610	18*7-8	IT45	TT	16	67,0	80,4
3IND5021811810	21*8-9	IT30	TT	18	116,0	139,2
3IND5060911410	6,00-9	IT30	TT	14	76,0	91,2
3IND5060941210	6,00-9 (EU)	IT45	TT	12	78,0	93,6
3IND5023911810	23*9-10	IT30	TT	18	135,0	162,0
3IND5023912010	23*9-10	IT30	TT	20	138,0	165,6
3IND5023912210	23*9-10	IT30	TT	22	153,0	183,6
3IND5065111410	6,50-10	IT30	TT	14	98,0	117,6
3IND5023922010	23*9-10	IT45	TT	20	156,0	187,2
3IND5065141410	6,50-10 (EU)	IT45	TT	14	89,0	106,8
3IND5023112210	23*10,1-12	IT30	TT	22	193,0	231,6
3IND5027112010	27*10-12	IT30	TT	20	209,0	250,8
3IND5071211610	7,00-12	IT30	TT	16	120,0	144,0
3IND5025012010	250-15	IT30	TT	20	242,0	290,4
3IND5025051610	250-15	IT30	TT	16	238,0	285,6
3IND5028112410	28*12,5-15	IT30	TT	24	327,0	392,4
3IND5030011610	300-15	IT30	TT	16	291,0	349,2
3IND5030012010	300-15	IT30	TT	20	325,0	390,0
3IND5032112410	32*12,1-15	IT30	TT	24	427,0	512,4
3IND5071511610	7,00-15	IT30	TT	16	143,0	171,6
3IND5075511610	7,50-15	IT30	TT	16	173,0	207,6
3IND5082511610	8,25-15	IT30	TT	16	252,0	302,4
3IND5081551610	28*9-15/8,15-15	IT30F	TT	16	155,0	186,0
3IND5025022010	250-15	IT45	TT	20	225,0	270,0
3IND5030021610	300-15	IT45	TT	16	276,0	331,2
3IND5030022010	300-15	IT45	TT	20	288,0	345,6
3IND5075521610	7,50-15	IT45	TT	16	176,0	211,2
3IND5081521410	8,15-15	IT45	TT	14	168,0	201,6
3IND5082521610	8,25-15	IT45	TT	16	217,0	260,4
3IND5010611011	10-16,5	IT30	TL	10	235,0	282,0
3SKS5012611411	12-16,5	IT30	TL	14	287,0	344,4
3SKS5012661211	12-16,5	IT30	TL	12	298,0	357,6
3IND5010211610	10,00-20	IT30	TT	16	526,0	631,2
3IND5010212010	10,00-20	IT30	TT	20	531,0	637,2
3IND5012211610	12,00-20	IT30	TT	16	646,0	775,2
3IND5012211810	12,00-20	IT30	TT	18	646,0	775,2
3IND5012212010	12,00-20	IT30	TT	20	649,0	778,8
3IND5012212410	12,00-20	IT30	TT	24	675,0	810,0
Lawn&garden						
3LGT5026010811	26*12,00-12 (TURF)	LG06	TL	8	96,0	115,2
3LGT5026010811	26*12,00-12 (TURF)	LG06	TL	8	92,0	110,4
3LGT5026011011	26*12,00-12 (TURF)	LG06	TL	10	96,0	115,2
3LGT5026011011	26*12,00-12 (TURF)	LG06	TL	10	92,0	110,4
3LGT5026011211	26*12,00-12 (TURF)	LG06	TL	12	114,0	136,8
3LGT5026011211	26*12,00-12 (TURF)	LG06	TL	12	109,0	130,8
3LGT5023110811	23 x 10,50-12	LG09	TL	8	80,0	96,0

Rehvi mõõt	Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga	
3LGT5023840811	23 x 8,50-12	LG09		TL	8	64,0	76,8
3LGT5026040811	26 x 12,00-12	LG09		TL	8	107,0	128,4
3LGT5026041211	26 x 12,00-12	LG09		TL	12	116,0	139,2
3LGT5026020811	26*12,00-12 (TRAC)	LG15		TL	8	112,0	134,4
3LGT5026020811	26*12,00-12 (TRAC)	LG15		TL	8	112,0	134,4
3LGT5026021011	26*12,00-12 (TRAC)	LG15		TL	10	103,0	123,6
3LGT5026021011	26*12,00-12 (TRAC)	LG15		TL	10	103,0	123,6
3LGT5026021211	26*12,00-12 (TRAC)	LG15		TL	12	128,0	153,6
3LGT5026021211	26*12,00-12 (TRAC)	LG15		TL	12	128,0	153,6
3LGT5023120811	23 x 10,50-12	LG18		TL	8	83,0	99,6
3LGT5023820811	23 x 8,50-12	LG18		TL	8	67,0	80,4
3LGT5026030811	26 x 12,00-12	LG18		TL	8	101,0	121,2
3LGT5026031211	26 x 12,00-12	LG18		TL	12	111,0	133,2
3LTT5091611610	9,00-16	TT09	137A6	TT	16	240,0	288,0
Loader							
3MIN5012212010	12,00-20 NHS	IM09		TT	20	678,0	813,6
Motor grader							
3MGT5013411210	13,00-24	TG09		TT	12	429,0	514,8
3MGT5013411211	13,00-24	TG09		TL	12	448,0	537,6
3MGT5013411410	13,00-24	TG09		TT	14	441,0	529,2
3MGT5013411411	13,00-24	TG09		TL	14	452,0	542,4
3MGT5013411610	13,00-24	TG09		TT	16	456,0	547,2
3MGT5013411611	13,00-24	TG09		TL	16	465,0	558,0
3MGT5014411210	14,00-24	TG09		TT	12	534,0	640,8
3MGT5014411211	14,00-24	TG09		TL	12	545,0	654,0
3MGT5014411410	14,00-24	TG09		TT	14	530,0	636,0
3MGT5014411411	14,00-24	TG09		TL	14	549,0	658,8
3MGT5014411610	14,00-24	TG09		TT	16	552,0	662,4
3MGT5014411611	14,00-24	TG09		TL	16	543,0	651,6
3MGT5016411610	16,00-24	TG09		TT	16	775,0	930,0
3MGT5016411611	16,00-24	TG09		TL	16	779,0	934,8
MPT							
3MPT5012821011	12,5-18(335/80-18)	MT54		TL	10	300,0	360,0
3MPT5012821211	12,5-18(335/80-18)	MT54		TL	12	300,0	360,0
3MPT5012821411	12,5-18(335/80-18)	MT54		TL	14	301,0	361,2
3MPT5011830811	10,5-18	MT63		TL	8	211,0	253,2
3MPT5011831011	10,5-18	MT63		TL	10	221,0	265,2
3MPT5012831011	12,5-18(335/80-18)	MT63		TL	10	308,0	369,6
3MPT5012831211	12,5-18(335/80-18)	MT63		TL	12	309,0	370,8
3MPT5012831411	12,5-18(335/80-18)	MT63		TL	14	322,0	386,4
3MPT5012831611	12,5-18(335/80-18)	MT63		TL	16	323,0	387,6
3MPT50420S1411	405/70-24(16/70-24) (E4)	MT72	148G	TL	14	471,0	565,2
3MPT5081931611	18-19,5(445/65-19,5) (E4)	MT63L	160G	TL	16	499,0	598,8
3MPT5081931811	18-19,5(445/65-19,5)	MT63L	163G	TL	18	511,0	613,2
3MPT5010221610	10,00-20	MT54		TT	16	326,0	391,2
3MPT5010221810	10,00-20	MT54		TT	18	353,0	423,6

Rehvi mõõt	Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga	
3MPT5011221610	11,00-20	MT54		TT	16	355,0	426,0
3MPT5012021011	10,5-20(275/80-20)	MT54		TL	10	222,0	266,4
3MPT5012221211	12,5-20(335/80-20)	MT54		TL	12	354,0	424,8
3MPT5014221411	14,5-20(365/80-20)	MT54		TL	14	397,0	476,4
3MPT5042021411	405/70-20(16/70-20) (E4)	MT54	145G	TL	14	431,0	517,2
3MPT5082221410	8,25-20	MT54		TT	14	238,0	285,6
3MPT5092021410	9,00-20	MT54		TT	14	290,0	348,0
3MPT50420S1411	405/70-20(16/70-20) (E4)	MT72	145G	TL	14	458,0	549,6
3MPT5042421411	405/70-24(16/70-24) (E4)	MT54	148G	TL	14	529,0	634,8
3MPT5042431411	405/70-24(16/70-24) (E4)	MT63	148G	TL	14	570,0	684,0
OTR							
3OTR5014442011	14,00-24	EM18		TL	20	1004,0	1204,8
3OTR5014442411	14,00-24	EM18		TL	24	1033,0	1239,6
3OTR5014442811	14,00-24	EM18		TL	28	1062,0	1274,4
3OTR5020511611	20,5-25	EL09		TL	16	1395,0	1674,0
3OTR5020512011	20,5-25	EL09		TL	20	1475,0	1770,0
3EMR5014512011	14,00-25	EM18		TL	20	943,0	1131,6
3EMR5014512411	14,00-25	EM18		TL	24	1000,0	1200,0
3OTR5016542811	16,00-25	EM18		TL	28	1523,0	1827,6
3OTR5016543211	16,00-25	EM18		TL	32	1541,0	1849,2
3OTR5015551211	15,5-25	GL09		TL	12	502,0	602,4
3OTR5017551211	17,5-25	GL09		TL	12	665,0	798,0
3OTR5017551611	17,5-25	GL09		TL	16	686,0	823,2
3OTR5017552011	17,5-25	GL09		TL	20	785,0	942,0
Reaper							
3RPR5087810210	18*7-8	RP09		TT	2	39,0	46,8
Skid Steer							
3SKS5023810811	23*8,50-12	ST30		TL	8	81,0	97,2
3SKS5023811211	23*8,50-12	ST30		TL	12	85,0	102,0
3SKS5029167111	29*12,5-15	HF09		TL	6	148,0	177,6
3SKS5027110811	27*10,5-15	ST30		TL	8	121,0	145,2
3SKS5027111211	27*10,5-15	ST30		TL	12	126,0	151,2
3SKS5027810811	27*8,50-15	ST30		TL	8	104,0	124,8
3SKS5031511011	31*15,5-15	ST30		TL	10	236,0	283,2
3SKS5010610811	10-16,5	ST30		TL	8	150,0	180,0
3SKS5010611011	10-16,5	ST30		TL	10	154,0	184,8
3SKS5012611011	12-16,5	ST30		TL	10	251,0	301,2
3SKS5012611211	12-16,5	ST30		TL	12	252,0	302,4
3SKS5031611011	31,5*13-16,5	ST30		TL	10	212,0	254,4
3SKS5033611211	33*15,5-16,5	ST30		TL	12	296,0	355,2
3SKS5012641011	12-16,5	ST30F		TL	10	202,0	242,4
3SKS5012641211	12-16,5	ST30F		TL	12	202,0	242,4
3SKS5010621011	10-16,5 (HIWALL)	ST45		TL	10	118,0	141,6
3SKS5012601211	12-16,5 (HIWALL)	ST45		TL	12	168,0	201,6
3SKS5012621011	12-16,5 (HIWALL)	ST45		TL	10	172,0	206,4
3SKS5014711411	14-17,5	ST30		TL	14	363,0	435,6

Rehvi mõõt	Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga	
3SKS5015911411	15-19,5	ST30		TL	14	445,0	534,0
Small tractor							
3SMT5035830210	3,50-8	IM36		TT	2	16,0	19,2
3SMT5040810210	4,00-8	IM45		TT	2	19,0	22,8
3SMT5041010210	4,00-10	IM45		TT	2	24,0	28,8
3SMT5041010410	4,00-10	IM45		TT	4	25,0	30,0
3SMT5051020210	5,00-10	IM54		TT	2	36,0	43,2
3SMT5051020410	5,00-10	IM54		TT	4	36,0	43,2
3SMT5016210810	11,0/65-12	IM45		TT	8	106,0	127,2
3SMT5016210811	11,0/65-12	IM45		TL	8	108,0	129,6
3SMT5041210210	4,00-12	IM45		TT	2	28,0	33,6
3SMT5051210410	5,00-12	IM45		TT	4	40,0	48,0
3SMT5071210611	7,00-12	IM45		TL	6	81,0	97,2
3SMT5068220410	6,5/80-12 (165/80-12)	IM54		TT	4	53,0	63,6
3SMT5068220610	6,5/80-12 (165/80-12)	IM54		TT	6	54,0	64,8
3SMT5068220611	6,5/80-12 (165/80-12)	IM54		TL	6	62,0	74,4
3SMT5051510610	5,00-15	IM45		TT	6	55,0	66,0
3SMT5087510610	8,0/75-15	IM45		TT	6	96,0	115,2
3SMT5087510611	8,0/75-15	IM45		TL	6	97,0	116,4
3SMT5016520411	185/65-15	IM54		TT	4	73,0	87,6
3SMT5068540610	6,5/80-15 (165/80-15)	IM99		TT	6	62,0	74,4
3SMT5011811011	11,5/80-15,3(295/80-15,3)	IM45		TL	10	178,0	213,6
3SMT5011811411	11,5/80-15,3(295/80-15,3)	IM45		TL	14	195,0	234,0
3SMT5027110810	27*10-15,3	IM45		TT	8	122,0	146,4
3SMT5027110811	27*10-15,3	IM45		TL	8	125,0	150,0
3SMT5010761011	10,0/75-15,3(255/75-15,3)	TS09S	128A6/123A8	TL	10	140,0	168,0
3SMT5065650610	6,50-16	IM108		T	6	78,0	93,6
3SMT5065650611	6,50-16	IM108		TL	6	83,0	99,6
3SMT5065650810	6,50-16	IM108		TT	8	81,0	97,2
3SMT5065650811	6,50-16	IM108		TL	8	86,0	103,2
3SMT5061610610	6,00-16	IM45		TT	6	71,0	85,2
3SMT5075620810	7,50-16	IM54		TT	8	94,0	112,8
3SMT5082610611	8,25-16	IM54		TL	6	134,0	160,8
3SMT5082620811	8,25-16	IM54		TL	8	139,0	166,8
3SMT5015711411	15,0/55-17(385/55-17)	IM45		TL	14	229,0	274,8
3SMT5015711811	15,0/55-17(385/55-17)	IM45		TL	18	262,0	314,4
3SMT5075810810	7,50-18	IM45		TT	8	108,0	129,6
3SMT5045910410	4,50-19	IM45		TT	4	58,0	69,6
3SMT5075210810	7,50-20	IM45		TT	8	129,0	154,8
3SMT5095210610	9,5-20 6PR IM45	IM45		TT	6	157,0	188,4
Tractor front							
3TFR5051260410	5-12	PT09		TT	4	48,0	57,6
3TFR5061250410	6,00-12 POWER TILLER	PT09			4	64,0	76,8
3TFR5061260410	6,00-12	PT09F		TT	4	64,0	76,8
3TFR5061260610	6,00-12	PT09F		TT	6	64,0	76,8
3TFR5061270410	6,00-12	PT18		TT	4	64,0	76,8

Rehvi mōõt		Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga
3TFR5010610810	10,00-16SL (3RIB)	F2		TT	8	170,0	204,0
3TFR5010610811	10,00-16SL (3RIB)	F2		TL	8	178,0	213,6
3TFR5010620811	10,00-16SL (4RIB)	F2		TL	8	165,0	198,0
3TFR5011610810	11,00-16SL (3RIB)	F2		TT	8	207,0	248,4
3TFR5011610811	11,00-16SL (3RIB)	F2		TL	8	219,0	262,8
3TFR5011611210	11,00-16SL (3RIB)	F2		TT	12	232,0	278,4
3TFR5011611211	11,00-16SL (3RIB)	F2		TL	12	224,0	268,8
3TFR5011620811	11,00-16SL (4RIB)	F2		TL	8	207,0	248,4
3TFR5011621211	11,00-16SL (4 RIB)	F2		TL	12	211,0	253,2
3TFR5061610610	6,00-16	F2		TT	6	59,0	70,8
3TFR5061610810	6,00-16	F2		TT	8	64,0	76,8
3TFR5065610610	6,50-16	F2		TT	6	67,0	80,4
3TFR5061630610	6,00-16	TF01		TT	6	79,0	94,8
3TFR5061630810	6,00-16 TRACTOR FRONT	TF01			8	80,0	96,0
3TFR5075640610	7,50-16	TF09		TT	6	109,0	130,8
3TTT5022411211	21L-24	TI09		TL	12	792,0	950,4
Tractor industrial							
3TTT5058421211	15,5/80-24(400/80-24) IM54	IM54		TL	12	510,0	612,0
3TTT5058421411	15,5/80-24(400/80-24) IM54	IM54		TL	14	528,0	633,6
3TTT5058421611	15,5/80-24(400/80-24) IM54	IM54		TL	16	526,0	631,2
3TTT5058431411	15,5/80-24(400/80-24) HD	IM54		TL	14	553,0	663,6
3TTT5058431611	15,5/80-24(400/80-24) HD	IM54		TL	16	555,0	666,0
3TTT5042411211	14,9-24(380/85-24)	TI09		TL	12	461,0	553,2
3TTT5072411211	17,5L-24	TI09		TL	12	533,0	639,6
3TTT5092411211	19,5L-24(495/75-24)	TI09		TL	12	658,0	789,6
3TTT5082611211	18,4-26(465/85-26)	TI09		TL	12	709,0	850,8
3TTT5062811211	16,9-28(430/85-28)	TI09		TL	12	652,0	782,4
3TTT5062811411	16,9-28(430/85-28)	TI09		TL	14	603,0	723,6
Tractor rear							
3TRR5081810410	8-18	TR18		TT	4	142,0	170,4
3TRR5012810810	12,4-28	TR09		TT	8	406,0	487,2
3TRR5012811210	12,4-28	TR09		TT	12	408,0	489,6
3TRR5062811211	16,9-28(430/85-28)	TR09		TL	12	663,0	795,6