

# ÖZKA hinnakiri

Kehitib alates 27.01.2022 a.



Kood	Rehvi mõõt	Kaal	Hind km-ta	Hind km-ga	
	<b>Traktori esirehvid</b>				
U3151021OZK	4251438401167	Öz 7.50-15 KNK50 99A6 8PR TT	13,0	94,0	112,8
U3161011OZK	4251438401037	Öz 5.50-16 KNK35 86A6 6PR TT	9,3	59,0	70,8
U3163011OZK	4251438400870	Öz 6.50-16 KNK30 91A6 6PR TT	11,2	75,0	90,0
U3163111OZK	4251438400986	Öz 6.50-16 KNK33 91A6 6PR TT	11,2	75,0	90,0
U3163211OZK	4251438401075	Öz 6.50-16 KNK35 91A6 6PR TT	11,2	75,0	90,0
U3163021OZK	4251438400887	Öz 6.50-16 KNK30 97A6 8PR TT	11,3	76,0	91,2
U3163121OZK	4251438400993	Öz 6.50-16 KNK33 97A6 8PR TT	11,3	76,0	91,2
U3163221OZK	4251438401082	Öz 6.50-16 KNK35 97A6 8PR TT	11,3	79,0	94,8
U3163311OZK	4251438401198	Öz 6.50-16 KNK50 91A6 6PR TT	11,3	80,0	96,0
U3163321OZK	4251438401204	Öz 6.50-16 KNK50 97A6 8PR TT	11,5	88,0	105,6
U3164011OZK	4251438400894	Öz 7.50-16 KNK30 98A6 6PR TT	13,8	88,0	105,6
U3164111OZK	4251438400917	Öz 7.50-16 KNK32 98A6 6PR TT	13,8	88,0	105,6
U3164211OZK	4251438401006	Öz 7.50-16 KNK33 98A6 6PR TT	13,9	88,0	105,6
U3164311OZK	4251438401099	Öz 7.50-16 KNK35 98A6 6PR TT	13,8	88,0	105,6
U3164021OZK	4251438400900	Öz 7.50-16 KNK30 103A6 8PR TT	13,9	92,0	110,4
U3164121OZK	4251438400924	Öz 7.50-16 KNK32 103A6 8PR TT	13,9	92,0	110,4
U3164221OZK	4251438401013	Öz 7.50-16 KNK33 103A6 8PR TT	13,9	92,0	110,4
U3164321OZK	4251438401105	Öz 7.50-16 KNK35 103A6 8PR TT	13,9	96,0	115,2
U3164421OZK	4251438401211	Öz 7.50-16 KNK50 103A6 8PR TT	13,9	103,0	123,6
U3166021OZK	4251438401112	Öz 9.00-16 KNK35 111A6 8PR TT	23,4	145,0	174,0
U3167021OZK	4251438401129	Öz 10.00-16 KNK35 115A6 8PR TT	25,6	160,0	192,0
U3168021OZK	4251438401136	Öz 11.00-16 KNK35 118A6 8PR TT	30,6	202,0	242,4
U3162011OZK	4251438400856	Öz 6.00-16 KNK30 88A6 6PR TT	9,9	61,0	73,2
U3162111OZK	4251438400962	Öz 6.00-16 KNK33 88A6 6PR TT	9,9	61,0	73,2
U3162211OZK	4251438401051	Öz 6.00-16 KNK35 88A6 6PR TT	9,9	61,0	73,2
U3162021OZK	4251438400863	Öz 6.00-16 KNK30 93A6 8PR TT	10,0	64,0	76,8
U3162121OZK	4251438400979	Öz 6.00-16 KNK33 93A6 8PR TT	10,0	64,0	76,8
U3162221OZK	4251438401068	Öz 6.00-16 KNK35 93A6 8PR TT	10,0	64,0	76,8
U3162311OZK	4251438401174	Öz 6.00-16 KNK50 88A6 6PR TT	9,9	67,0	80,4
U3162321OZK	4251438401181	Öz 6.00-16 KNK50 93A6 8PR TT	10,0	73,0	87,6
U3181421OZK	4251438401228	Öz 7.50-18 KNK50 106A6 8PR TT	14,7	109,0	130,8
U3181021OZK	4251438400931	Öz 7.50-18 KNK32 106A6 8PR TT	16,0	108,0	129,6
U3181221OZK	4251438401150	Öz 7.50-18 KNK35 106A6 8PR TT	17,0	110,0	132,0
U3191011OZK	4251438401020	Öz 6.00-19 KNK33 93A6 6PR TT	11,0	76,0	91,2
U3201021OZK	4251438400948	Öz 6.50-20 KNK32 102A6 8PR TT	14,4	104,0	124,8
U3202021OZK	4251438400955	Öz 7.50-20 KNK32 108A6 8PR TT	16,8	124,0	148,8
U3202121OZK	4251438401235	Öz 7.50-20 KNK50 108A6 8PR TT	16,3	125,0	150,0
U3203011OZK	4251438402973	Öz 9.5-20 KNK50 101A6 6PR TT	21,6	146,0	175,2
U3203021OZK	4251438401242	Öz 9.5-20 KNK50 106A6 8PR TT	21,7	148,0	177,6
U3203022OZK	4251438401259	Öz 9.5-20 KNK50 106A6 8PR TL	24,5	174,0	208,8
U3204021OZK	4251438401266	Öz 11.2-20 KNK50 113A6 8PR TT	28,9	182,0	218,4
U3204022OZK	4251438401273	Öz 11.2-20 KNK50 113A6 8PR TL	31,9	214,0	256,8

Kood	Rehvi mõõt	Kaal	Hind km-ta	Hind km-ga	
		<b>Traktori veorehvid</b>			
U5242011OZK	4251438401303	Öz 9.5-24 KNK50 110A6 6PR TT	26,8	183,0	<b>219,6</b>
U5242021OZK	4251438401310	Öz 9.5-24 KNK50 116A6 8PR TT	27,1	188,0	<b>225,6</b>
U5243011OZK	4251438401327	Öz 11.2-24 KNK50 110A6 6PR TT	32,6	234,0	<b>280,8</b>
U5243021OZK	4251438401334	Öz 11.2-24 KNK50 116A6 8PR TT	32,8	229,0	<b>274,8</b>
U5243041OZK	4251438401341	Öz 11.2-24 KNK50 122A6 12PR TT	36,4	249,0	<b>298,8</b>
U5241011OZK	4251438401280	Öz 8.3-24 KNK50 105A6 6PR TT	20,5	153,0	<b>183,6</b>
U5241021OZK	4251438401297	Öz 8.3-24 KNK50 108A6 8PR TT	20,7	162,0	<b>194,4</b>
U5244011OZK	4251438401358	Öz 12.4-24 KNK50 115A6 6PR TT	39,7	262,0	<b>314,4</b>
U5244021OZK	4251438401365	Öz 12.4-24 KNK50 118A6 8PR TT	40,0	266,0	<b>319,2</b>
U5244041OZK	4251438401372	Öz 12.4-24 KNK50 124A6 12PR TT	43,7	303,0	<b>363,6</b>
U5247042OZK	4251438403505	Öz 15.5/80-24 KNK50 157A6 12PR TL	66,1	440,0	<b>528,0</b>
U5247062OZK	4251438401457	Öz 15.5/80-24 KNK50 163A6 16PR TL	70,2	435,0	<b>522,0</b>
U5245011OZK	4251438401389	Öz 13.6-24 KNK50 120A6 6PR TT	45,0	300,0	<b>360,0</b>
U5245021OZK	4251438401396	Öz 13.6-24 KNK50 123A6 8PR TT	45,3	312,0	<b>374,4</b>
U5245041OZK	4251438401402	Öz 13.6-24 KNK50 129A6 12PR TT	49,5	350,0	<b>420,0</b>
U5246011OZK	4251438401419	Öz 14.9-24 KNK50 125A6 6PR TT	50,7	336,0	<b>403,2</b>
U5246021OZK	4251438401426	Öz 14.9-24 KNK50 128A6 8PR TT	51,0	344,0	<b>412,8</b>
U5246031OZK	4251438401433	Öz 14.9-24 KNK50 131A6 10PR TT	54,3	362,0	<b>434,4</b>
U5246051OZK	4251438401440	Öz 14.9-24 KNK50 137A6 14PR TT	59,3	410,0	<b>492,0</b>
U5248021OZK	4251438403420	Öz 16.9-24 KNK50 133A6 8PR TT	67,2	460,0	<b>552,0</b>
U5248031OZK	4251438403437	Öz 16.9-24 KNK50 136A6 10PR TT	67,8	470,0	<b>564,0</b>
U5248051OZK	4251438403444	Öz 16.9-24 KNK50 141A6 14PR TT	73,0	508,0	<b>609,6</b>
U5262031OZK	4251438401488	Öz 18.4-26 KNK50 142A6 10PR TT	85,0	565,0	<b>678,0</b>
U5262061OZK	4251438401495	Öz 18.4-26 KNK50 150A6 16PR TT	92,0	572,0	<b>686,4</b>
U5261031OZK	4251438401464	Öz 14.9-26 KNK50 133A6 10PR TT	59,2	403,0	<b>483,6</b>
U5261051OZK	4251438401471	Öz 14.9-26 KNK50 140A6 14PR TT	64,1	431,0	<b>517,2</b>
U5281011OZK	4251438401518	Öz 11.2-28 KNK50 112A6 6PR TT	39,5	261,0	<b>313,2</b>
U5281021OZK	4251438401525	Öz 11.2-28 KNK50 118A6 8PR TT	39,8	268,0	<b>321,6</b>
U5282011OZK	4251438401532	Öz 12.4-28 KNK50 117A6 6PR TT	45,0	287,0	<b>344,4</b>
U5282021OZK	4251438401549	Öz 12.4-28 KNK50 125A6 8PR TT	45,4	306,0	<b>367,2</b>
U5283011OZK	4251438401556	Öz 13.6-28 KNK50 121A6 6PR TT	50,0	333,0	<b>399,6</b>
U5283021OZK	4251438401563	Öz 13.6-28 KNK50 125A6 8PR TT	54,9	347,0	<b>416,4</b>
U5284011OZK	4251438401570	Öz 14.9-28 KNK50 125A6 6PR TT	57,2	361,0	<b>433,2</b>
U5284021OZK	4251438401587	Öz 14.9-28 KNK50 130A6 8PR TT	62,9	370,0	<b>444,0</b>
U5284051OZK	4251438401594	Öz 14.9-28 KNK50 143A6 14PR TT	68,0	465,0	<b>558,0</b>
U5285021OZK	4251438401600	Öz 16.9-28 KNK50 135A6 8PR TT	75,1	470,0	<b>564,0</b>
U5285031OZK	4251438401617	Öz 16.9-28 KNK50 139A6 10PR TT	75,2	473,0	<b>567,6</b>
U5285051OZK	4251438401624	Öz 16.9-28 KNK50 143A6 14PR TT	80,9	499,0	<b>598,8</b>
U5302221OZK	4251438406520	Öz 16.9-30 KNK53 137A6 8PR TT	78,2	480,0	<b>576,0</b>
U5302231OZK	4251438406537	Öz 16.9-30 KNK53 144A6 10PR TT	79,3	483,0	<b>579,6</b>
U5302241OZK	4251438406544	Öz 16.9-30 KNK53 147A6 12PR TT	79,7	492,0	<b>590,4</b>
U5302251OZK	4251438406551	Öz 16.9-30 KNK53 150A6 14PR TT	84,8	519,0	<b>622,8</b>
U5303021OZK	4251438401679	Öz 18.4-30 KNK50 139A6 8PR TT	93,9	594,0	<b>712,8</b>
U5303031OZK	4251438401686	Öz 18.4-30 KNK50 145A6 10PR TT	95,1	598,0	<b>717,6</b>
U5303051OZK	4251438401693	Öz 18.4-30 KNK50 154A6 14PR TT	102,1	646,0	<b>775,2</b>
U5301021OZK	4251438402980	Öz 14.9-30 KNK50 132A6 8PR TT	66,6	438,0	<b>525,6</b>
U5301031OZK	4251438401631	Öz 14.9-30 KNK50 136A6 10PR TT	66,8	461,0	<b>553,2</b>
U5302021OZK	4251438401648	Öz 16.9-30 KNK50 137A6 8PR TT	77,7	507,0	<b>608,4</b>
U5302031OZK	4251438401655	Öz 16.9-30 KNK50 144A6 10PR TT	78,8	485,0	<b>582,0</b>

Kood		Rehvi mõõt	Kaal	Hind km-ta	Hind km-ga
U5302051OZK	4251438401662	Öz 16.9-30 KNK50 150A6 14PR TT	84,4	527,0	632,4
U5322021OZK	4251438401730	Öz 9.5-32 KNK50 115A6 8PR TT	35,2	258,0	309,6
U5321021OZK	4251438401723	Öz 8.3-32 KNK50 111A6 8PR TT	26,4	193,0	231,6
U5323021OZK	4251438401747	Öz 12.4-32 KNK50 125A6 8PR TT	51,8	338,0	405,6
U5342031OZK	4251438401778	Öz 18.4-34 KNK50 146A6 10PR TT	99,6	625,0	750,0
U5342051OZK	4251438401785	Öz 18.4-34 KNK50 153A6 14PR TT	107,1	692,0	830,4
U5341031OZK	4251438401754	Öz 16.9-34 KNK50 142A6 10PR TT	84,2	547,0	656,4
U5341051OZK	4251438401761	Öz 16.9-34 KNK50 148A6 14PR TT	90,2	594,0	712,8
U5361011OZK	4251438401808	Öz 12.4-36 KNK50 121A6 6PR TT	57,4	379,0	454,8
U5361021OZK	4251438401815	Öz 12.4-36 KNK50 126A6 8PR TT	57,8	402,0	482,4
U5362011OZK	4251438401822	Öz 13.6-36 KNK50 125A6 6PR TT	64,9	417,0	500,4
U5362021OZK	4251438401839	Öz 13.6-36 KNK50 129A6 8PR TT	70,9	443,0	531,6
U5384141OZK	4251438406568	Öz 15.5-38 KNK53 141A6 12PR TT	82,6	532,0	638,4
U5385131OZK	4251438406575	Öz 16.9-38 KNK53 145A6 10PR TT	92,8	624,0	748,8
U5381021OZK	4251438401846	Öz 12.4-38 KNK50 127A6 8PR TT	66,3	441,0	529,2
U5386031OZK	4251438401921	Öz 18.4-38 KNK50 147A6 10PR TT	113,0	691,0	829,2
U5386051OZK	4251438401938	Öz 18.4-38 KNK50 154A6 14PR TT	121,1	734,0	880,8
U5384031OZK	4251438401891	Öz 15.5-38 KNK50 138A6 10PR TT	82,0	508,0	609,6
U5384041OZK	4251438402997	Öz 15.5-38 KNK50 141A6 12PR TT	82,0	515,0	618,0
U5382021OZK	4251438401853	Öz 13.6-38 KNK50 131A6 8PR TT	75,7	455,0	546,0
U5382031OZK	4251438401860	Öz 13.6-38 KNK50 135A6 10PR TT	75,5	460,0	552,0
U5385031OZK	4251438401907	Öz 16.9-38 KNK50 145A6 10PR TT	93,2	604,0	724,8
U5385051OZK	4251438401914	Öz 16.9-38 KNK50 152A6 14PR TT	99,9	656,0	787,2
U5383021OZK	4251438401877	Öz 14.0-38 KNK50 131A6 8PR TT	75,7	458,0	549,6
U5383031OZK	4251438401884	Öz 14.0-38 KNK50 135A6 10PR TT	75,5	464,0	556,8
		<b>Kombain</b>			
U4181041OZK	4251438401976	Öz 10.5/80-18 KNK48 135A8 12PR TT	23,6	167,0	200,4
U4182051OZK	4251438401983	Öz 12.5/80-18 KNK48 144A8 14PR TT	30,9	199,0	238,8
U4183061OZK	4251438401990	Öz 13.0/65-18 KNK48 144A8 16PR TT	30,4	196,0	235,2
U4203052OZK	4251438406490	Öz 16.0/70-20 KNK36 154A6 14PR TL	66,8	354,0	424,8
U4242032OZK	4251438406476	Öz 9.00-24 KNK36 124B 10PR TL	27,0	210,0	252,0
U5263072OZK	4251438401501	Öz 23.1-26 KNK50 162A6 18PR TL	182,9	1089,0	1306,8
U5304072OZK	4251438401716	Öz 23.1-30 KNK50 160A6 18PR TL	197,2	1302,0	1562,4
U5303261OZK	4251438401709	Öz 18.4-30 KNK50 158A6 16PR TT	103,5	661,0	793,2
U5342061OZK	4251438401792	Öz 18.4-34 KNK50 159A6 16PR TT	109,8	710,0	852,0
U5387061OZK	4251438401945	Öz 20.8-38 KNK50 162A6 16PR TT	167,8	1093,0	1311,6
U5387062OZK	4251438401952	Öz 20.8-38 KNK50 162A6 16PR TL	180,7	1133,0	1359,6
		<b>Haagiserehvid</b>			
U4153442OZK	4251438402089	Öz 260/70-15.3 KNK42 126A8 12PR TL	15,8	107,0	128,4
U4153552OZK	4251438406469	Öz 300/80-15.3 KNK42 141A8 14PR TL	24,9	152,0	182,4
U4152052OZK	4251438402102	Öz 11.5/80-15.3 KNK48 139A8 14PR TL	29,3	177,0	212,4
U4152152OZK	4251438402140	Öz 11.5/80-15.3 KNK52 139A8 14PR TL	27,5	180,0	216,0
U4153152OZK	4251438402119	Öz 12.5/80-15.3 KNK48 142A8 14PR TL	32,2	191,0	229,2
U4153362OZK	4251438402157	Öz 12.5/80-15.3 KNK56 144A8 16PR TL	34,8	238,0	285,6
U4151042OZK	4251438402096	Öz 10.0/75-15.3 KNK48 126A8 12PR TL	20,7	129,0	154,8
U4151142OZK	4251438402133	Öz 10.0/75-15.3 KNK52 126A8 12PR TL	21,1	141,0	169,2
U4153672OZK	4251438402164	Öz 400/60-15.5 KNK56 151A8 18PR TL	40,2	240,0	288,0
U4161141OZK	4251438402072	Öz 7.50-16 KNK28 121A8 12PR TT	18,2	118,0	141,6
U4161041OZK	4251438402003	Öz 7.50-16 KNK25 121A8 12PR TT	19,2	120,0	144,0
U4162041OZK	4251438402027	Öz 9.00-16 KNK26 125A6 12PR TT	25,1	151,0	181,2

Kood		Rehvi mõõt	Kaal	Hind km-ta	Hind km-ga
U4162141OZK	4251438402041	Öz 9.00-16 KNK27 125A6 12PR TT	25,1	151,0	181,2
U4162051OZK	4251438402034	Öz 9.00-16 KNK26 128A6 14PR TT	25,3	157,0	188,4
U4162151OZK	4251438402058	Öz 9.00-16 KNK27 128A6 14PR TT	25,3	157,0	188,4
U4163041OZK	4251438402126	Öz 10.5/65-16 KNK48 126A8 12PR TT	19,4	126,0	151,2
U4173052OZK	4251438402188	Öz 500/50-17 KNK46 149A8 14PR TL	53,4	311,0	373,2
U4173072OZK	4251438402195	Öz 500/50-17 KNK46 157A8 18PR TL	56,5	320,0	384,0
U4201051OZK	4251438402010	Öz 8.25-20 KNK25 133A6 14PR TT	31,1	201,0	241,2
U4202051OZK	4251438402065	Öz 9.00-20 KNK22 133A6 14PR TT	35,8	233,0	279,6
U4221062OZK	4251438402171	Öz 550/60-22.5 KNK56 154A8 16PR TL	90,1	587,0	704,4
<b>Tõstukirehvid</b>					
U6091041OZK	4251438402652	Öz 6.00-9 KNK40 121A5 12PR TT	8,0	66,0	79,2
U6101041OZK	4251438402669	Öz 6.50-10 KNK40 125A5 12PR TT	11,1	79,0	94,8
U6121051OZK	4251438402676	Öz 7.00-12 KNK40 134A5 14PR TT	15,2	107,0	128,4
U6151051OZK	4251438402683	Öz 8.15-15 (28*9-15) KNK40 146A5 14PR TT	20,9	137,0	164,4
U6152071OZK	4251438402690	Öz 8.25-15 KNK40 153A5 18PR TT	31,9	213,0	255,6
<b>Pakiautorehvid</b>					
U2141021OZK	4251438403109	Öz 6,50-14C KNK20 8PR TT	12,5	104,0	124,8
U2141031OZK	4251438406636	Öz 6,50-14C KNK20 100/98L 10PR TT	11,74	104,0	124,8
U2151031OZK	4251438402706	Öz 7.50-15C KNK20 114/112L 10PR TT	17,9	163,0	195,6
U2151131OZK	4251438402768	Öz 7.50-15C KNK126 114/112L 10PR TT	17,9	160,0	192,0
U2161031OZK	4251438402713	Öz 6.50-16C KNK20 108/107L 10PR TT	14,6	129,0	154,8
U2161131OZK	4251438402775	Öz 6.50-16C KNK126 108/107L 10PR TT	14,6	131,0	157,2
U2163041OZK	4251438402737	Öz 7.50-16C KNK20 121/120L 12PR TT	18,2	158,0	189,6
U2163141OZK	4251438402744	Öz 7.50-16C KNK24 121/120L 12PR TT	18,8	159,0	190,8
U2163341OZK	4251438402799	Öz 7.50-16C KNK126 121/120L 12PR TT	19,4	174,0	208,8
U2163241OZK	4251438402751	Öz 7.50-16C KNK25 121/120L 12PR TT	20,3	175,0	210,0
U2162031OZK	4251438402720	Öz 7.00-16C KNK20 113/112L 10PR TT	16,7	152,0	182,4
U2162131OZK	4251438402782	Öz 7.00-16C KNK126 113/112L 10PR TT	16,7	155,0	186,0
<b>Traktori radiaalrehvid 65</b>					
UR6524440102OZK	4251438400009	Öz 440/65 R24 AGRÖ10 128/131D/A8 TL	80,4	515,0	618,0
UR6524480102OZK	4251438400016	Öz 480/65 R24 AGRÖ10 133/136D/A8 TL	92,0	582,0	698,4
UR6524540102OZK	4251438402850	Öz 540/65 R24 AGRÖ10 146/149D/A8 TL	115,5	778,0	933,6
UR6526750102OZK	4251438400023	Öz 750/65 R26 AGRÖ10 166/163A8/B TL	245,8	1613,0	1935,6
UR6528440102OZK	4251438400030	Öz 440/65 R28 AGRÖ10 131/134D/A8 TL	89,6	584,0	700,8
UR6528480102OZK	4251438400047	Öz 480/65 R28 AGRÖ10 142/145D/A8 TL	101,9	631,0	757,2
UR6528540102OZK	4251438400054	Öz 540/65 R28 AGRÖ10 149/152D/A8 TL	129,2	803,0	963,6
UR6528600102OZK	4251438400451	Öz 600/65 R28 AGRÖ10 154/157D/A8 TL	162,0	1037,0	1244,4
UR6530540102OZK	4251438400061	Öz 540/65 R30 AGRÖ10 150/153D/A8 TL	136,4	863,0	1035,6
UR6530600102OZK	#N/A	Öz 600/65 R30 AGRÖ10 TL		1007,0	1208,4
UR6532800102OZK	4251438400078	Öz 800/65 R32 AGRÖ10 178/175A8/B TL	341,3	2127,0	2552,4
UR6534540102OZK	4251438400085	Öz 540/65 R34 AGRÖ10 152/155D/A8 TL	153,8	978,0	1173,6
UR6534600102OZK	UR6534600102OZK	Öz 600/65 R34 AGRÖ10 160/157D/A8 TL	175,0	1154,0	1384,8
UR6538540102OZK	4251438400092	Öz 540/65 R38 AGRÖ10 153/156D/A8 TL	168,0	1105,0	1326,0
UR6538600102OZK	4251438400108	Öz 600/65 R38 AGRÖ10 159/162D/A8 TL	193,1	1191,0	1429,2
UR6538650102OZK	4251438400115	Öz 650/65 R38 AGRÖ10 163/166D/A8 TL	254,6	1537,0	1844,4
UR6542650102OZK	4251438404236	Öz 650/65 R42 AGRÖ10 165/168D/A8 TL	280,1	1747,0	2096,4
<b>Traktori radiaalrehvid 70</b>					
UR7016240102OZK	4251438400122	Öz 240/70 R16 AGRÖ10 104/104A8/B TL	21,4	136,0	163,2
UR7016260102OZK	4251438400139	Öz 260/70 R16 AGRÖ10 109/109A8/B TL	23,4	160,0	192,0
UR7016280102OZK	4251438400146	Öz 280/70 R16 AGRÖ10 112/112A8/B TL	29,3	192,0	230,4



Kood		Rehvi mõõt	Kaal	Hind km-ta	Hind km-ga
UR7018280102OZK	4251438400153	Öz 280/70 R18 AGRÖ10 114/114A8/B TL	32,6	218,0	261,6
UR7020260102OZK	4251438400160	Öz 260/70 R20 AGRÖ10 113/113A8/B TL	30,0	195,0	234,0
UR7020280102OZK	4251438400177	Öz 280/70 R20 AGRÖ10 116/116A8/B TL	37,0	233,0	279,6
UR7020300102OZK	4251438400184	Öz 300/70 R20 AGRÖ10 120/117A8/B TL	42,6	257,0	308,4
UR7020320102OZK	4251438400191	Öz 320/70 R20 AGRÖ10 113/113A8/B TL	44,3	284,0	340,8
UR7020360102OZK	4251438400207	Öz 360/70 R20 AGRÖ10 129/129A8/B TL	56,8	346,0	415,2
UR7020380102OZK	4251438402867	Öz 380/70 R20 AGRÖ10 122/122A8/B TL	62,4	431,0	517,2
UR7024320102OZK	4251438400214	Öz 320/70 R24 AGRÖ10 116/116A8/B TL	52,8	343,0	411,6
UR7024360102OZK	4251438400221	Öz 360/70 R24 AGRÖ10 122/122A8/B TL	62,8	379,0	454,8
UR7024380102OZK	4251438400238	Öz 380/70 R24 AGRÖ10 125/125A8/B TL	69,5	453,0	543,6
UR7024420102OZK	4251438400245	Öz 420/70 R24 AGRÖ10 130/130A8/B TL	82,2	525,0	630,0
UR7024460102OZK	4251438400252	Öz 460/70 R24 AGRÖ10 152/149A8/B TL	95,1	576,0	691,2
UR7024480102OZK	4251438400269	Öz 480/70 R24 AGRÖ10 138/135A8/B TL	102,1	664,0	796,8
UR7026480102OZK	4251438402874	Öz 480/70 R26 AGRÖ10 139/136A8/B TL	110,0	723,0	867,6
UR7028360102OZK	4251438400276	Öz 360/70 R28 AGRÖ10 125/125A8/B TL	70,1	443,0	531,6
UR7028380102OZK	4251438400283	Öz 380/70 R28 AGRÖ10 127/127A8/B TL	76,0	501,0	601,2
UR7028420102OZK	4251438400290	Öz 420/70 R28 AGRÖ10 133/133A8/B TL	91,3	563,0	675,6
UR7028480102OZK	4251438400306	Öz 480/70 R28 AGRÖ10 140/140A8/B TL	113,8	705,0	846,0
UR7030420102OZK	4251438400313	Öz 420/70 R30 AGRÖ10 134/131A8/B TL	97,6	622,0	746,4
UR7030480102OZK	4251438400320	Öz 480/70 R30 AGRÖ10 141/138A8/B TL	126,4	783,0	939,6
UR7030600102OZK	4251438400337	Öz 600/70 R30 AGRÖ10 158/156A8/B TL	201,9	1171,0	1405,2
UR7034480102OZK	4251438400344	Öz 480/70 R34 AGRÖ10 143/143A8/B TL	141,4	848,0	1017,6
UR7034520102OZK	4251438402881	Öz 520/70 R34 AGRÖ10 148/146A8/B TL	162,6	1018,0	1221,6
UR7038480102OZK	4251438400351	Öz 480/70 R38 AGRÖ10 145/142A8/B TL	152,9	937,0	1124,4
UR7038520102OZK	4251438400368	Öz 520/70 R38 AGRÖ10 150/147A8/B TL	177,5	1078,0	1293,6
UR7038580102OZK	4251438400375	Öz 580/70 R38 AGRÖ10 155/152A8/B TL	207,7	1288,0	1545,6
UR7038710102OZK	4251438400382	Öz 710/70 R38 AGRÖ10 171/174D/A8 TL	305,1	1920,0	2304,0
UR7042620112OZK	4251438404557	Öz 620/70 R42 AGRÖ11 166/166A8/B TL	283,4	1710,0	2052,0
UR7042710102OZK	4251438404588	Öz 710/70 R42 AGRÖ10 173/176D/A8 TL	365,2	2269,0	2722,8
		<b>Traktori radiaalrehvid 75</b>			
UR7526620112OZK	4251438400399	Öz 620/75 R26 AGRÖ11 166/166A8/B TL	225,9	1432,0	1718,4
UR7530620112OZK	4251438400405	Öz 620/75 R30 AGRÖ11 163/161A8/B TL	237,7	1531,0	1837,2
UR7532650112OZK	4251438400412	Öz 650/75 R32 AGRÖ11 172/172A8/B TL	268,6	1612,0	1934,4
		<b>Traktori radiaalrehvid 80</b>			
UR8042480102OZK	4251438400429	Öz 480/80 R42 AGRÖ10 151/148A8/B TL	178,5	1163,0	1395,6
UR8046480102OZK	4251438400436	Öz 480/80 R46 AGRÖ10 164/164A8/B TL	192,6	1254,0	1504,8
		<b>Traktori radiaalrehvid 85</b>			
UR8520280102OZK	4251438400443	Öz 280/85 R20 (11.2 R20) AGRÖ10 112/109A8/B TL	41,1	244,0	292,8
UR8520320102OZK	4251438400450	Öz 320/85 R20 (12.4 R20) AGRÖ10 119/116A8/B TL	49,7	311,0	373,2
UR8524250102OZK	#N/A	Öz 250/85 R24 (9.5 R24) AGRÖ10 109/109A8/B TL		230,0	276,0
UR8524280102OZK	4251438400467	Öz 280/85 R24 (11.2 R24) AGRÖ10 115/112A8/B TL	47,8	298,0	357,6
UR8524320102OZK	4251438400474	Öz 320/85 R24 (12.4 R24) AGRÖ10 122/119A8/B TL	58,5	372,0	446,4
UR8524340102OZK	4251438400481	Öz 340/85 R24 (13.6 R24) AGRÖ10 125/122A8/B TL	66,6	421,0	505,2
UR8524380102OZK	4251438400498	Öz 380/85 R24 (14.9 R24) AGRÖ10 131/128A8/B TL	78,0	488,0	585,6
UR8524420102OZK	4251438400504	Öz 420/85 R24 (16.9 R24) AGRÖ10 137/134A8/B TL	97,0	590,0	708,0
UR8528250102OZK	#N/A	Öz 250/85 R28 (9.5 R28) TL AGRÖ10 112/112A8/B TL		288,0	345,6
UR8528280102OZK	4251438400511	Öz 280/85 R28 (11.2 R28) AGRÖ10 118/115A8/B TL	53,8	351,0	421,2
UR8528320102OZK	4251438400528	Öz 320/85 R28 (12.4 R28) AGRÖ10 124/121A8/B TL	62,6	403,0	483,6
UR8528340102OZK	4251438400535	Öz 340/85 R28 (13.6 R28) AGRÖ10 127/124A8/B TL	72,0	456,0	547,2
UR8528380102OZK	4251438400542	Öz 380/85 R28 (14.9 R28) AGRÖ10 133/130A8/B TL	83,9	540,0	648,0

Kood		Rehvi mõõt	Kaal	Hind km-ta	Hind km-ga
UR8528420102OZK	4251438400559	Öz 420/85 R28 (16.9 R28) AGRÖ10 139/136A8/B TL	102,3	625,0	750,0
UR8530380102OZK	4251438400566	Öz 380/85 R30 (14.9 R30) AGRÖ10 135/132A8/B TL	88,1	561,0	673,2
UR8530420102OZK	4251438400573	Öz 420/85 R30 (16.9 R30) AGRÖ10 140/137A8/B TL	108,7	678,0	813,6
UR8530460102OZK	4251438400580	Öz 460/85 R30 (18.4 R30) AGRÖ10 145/142A8/B TL	127,5	780,0	936,0
UR8532320102OZK	4251438400597	Öz 320/85 R32 (12.4 R32) AGRÖ10 126/126A8/B TL	70,4	481,0	577,2
UR8536320102OZK	4251438400627	Öz 320/85 R36 (12.4 R36) AGRÖ10 128/125A8/B TL	77,1	515,0	618,0
UR8536340102OZK	4251438400634	Öz 340/85 R36 (13.6 R36) AGRÖ10 132/129A8/B TL	88,6	564,0	676,8
UR8534420102OZK	4251438400603	Öz 420/85 R34 (16.9 R34) AGRÖ10 142/139A8/B TL	119,9	740,0	888,0
UR8534460102OZK	4251438400610	Öz 460/85 R34 (18.4 R34) AGRÖ10 147/144A8/B TL	141,0	878,0	1053,6
UR8538320102OZK	4251438400641	Öz 320/85 R38 (12.4 R38) AGRÖ10 143/143A8/B TL	84,3	539,0	646,8
UR8538340102OZK	4251438400658	Öz 340/85 R38 (13.6 R38) AGRÖ10 133/130A8/B TL	90,3	573,0	687,6
UR8538380102OZK	4251438400665	Öz 380/85 R38 (14.9 R38) AGRÖ10 139/136A8/B TL	106,4	699,0	838,8
UR8538420102OZK	4251438400672	Öz 420/85 R38 (16.9 R38) AGRÖ10 144/141A8/B TL	131,6	814,0	976,8
UR8538460102OZK	4251438400689	Öz 460/85 R38 (18.4 R38) AGRÖ10 149/146A8/B TL	153,6	936,0	1123,2
UR8538520102OZR	#N/A	Öz 520/85 R38 (20.8 R38) REINFORCED AGRÖ10 155/152A8/B TL	192,3	1234,0	1480,8
UR8538520102OZK	4251438400702	Öz 520/85 R38 (20.8 R38) AGRÖ10 155/152A8/B TL	192,3	1166,0	1399,2
UR8538650102OZK	4251438405035	Öz 650/85 R38 AGRÖ10 173/176D/A8 TL	338,3	2256,0	2707,2
UR8542520102OZK	4251438400719	Öz 520/85 R42 (20.8 R42) AGRÖ10 157/157A8/B TL	216,9	1354,0	1624,8
UR8546340102OZK	4251438402898	Öz 340/85 R46 (13.6 R46) AGRÖ10 150/151D/A8 TL	114,2	764,0	916,8
UR8548340102OZK	4251438400726	Öz 340/85 R48 (13.6 R48) AGRÖ10 152/151A8/B TL	115,8	793,0	951,6
<b>Traktori radiaalrehvid 90</b>					
UR9046320102OZK	4251438402904	Öz 320/90 R46 AGRÖ10 146/146A8/B TL	105,7	744,0	892,8
UR9046380102OZK	4251438400733	Öz 380/90 R46 AGRÖ10 159/162D/A8 TL	134,6	940,0	1128,0
UR9050320102OZK	4251438402911	Öz 320/90 R50 AGRÖ10 150/150A8/B TL	114,0	810,0	972,0
UR9054320102OZK	4251438402928	Öz 320/90 R54 AGRÖ10 155/155A8/B TL	123,9	876,0	1051,2
<b>Traktori radiaalrehvid 95</b>					
UR0020095102OZK	4251438400740	Öz 9.5 R20 AGRÖ10 108/105A8/B TL	33,2	207,0	248,4
UR9532210102OZK	4251438400757	Öz 210/95 R32 AGRÖ10 114/114A8/B TL	44,7	292,0	350,4
UR9532230102OZK	4251438400764	Öz 230/95 R32 AGRÖ10 128/128A8/B TL	51,8	344,0	412,8
UR9532270102OZK	4251438400771	Öz 270/95 R32 AGRÖ10 118/118A8/B TL	65,9	443,0	531,6
UR9536210102OZK	4251438402935	Öz 210/95 R36 AGRÖ10 118/118A8/B TL	48,0	327,0	392,4
UR9536230102OZK	4251438406421	Öz 230/95 R36 AGRÖ10 136/136A8/B TL	59,9	390,0	468,0
UR9536270102OZK	4251438402942	Öz 270/95 R36 AGRÖ10 139/139A8/B TL	72,6	479,0	574,8
UR9538270102OZK	4251438400788	Öz 270/95 R38 AGRÖ10 138/138A8/B TL	75,9	520,0	624,0
UR9542230102OZK	4251438406438	Öz 230/95 R42 AGRÖ10 133/136A8/D TL	62,6	439,0	526,8
UR9544210102OZK	4251438400795	Öz 210/95 R44 AGRÖ10 120/120A8/B TL	59,2	397,0	476,4
UR9544230102OZK	4251438400801	Öz 230/95 R44 AGRÖ10 132/132A8/B TL	65,1	447,0	536,4
UR9544270102OZK	4251438400818	Öz 270/95 R44 AGRÖ10 142/142A8/B TL	82,6	578,0	693,6
UR9546270102OZK	4251438402843	Öz 270/95 R46 AGRÖ10 143/143A8/B TL	87,0	625,0	750,0
UR9546300102OZK	4251438400825	Öz 300/95 R46 AGRÖ10 148/148A8/B TL	94,7	662,0	794,4
UR9548230102OZK	4251438400832	Öz 230/95 R48 AGRÖ10 136/136A8/B TL	72,2	494,0	592,8
UR9548270102OZK	4251438400849	Öz 270/95 R48 AGRÖ10 142/142A8/B TL	90,9	619,0	742,8
UR9552300102OZK	4251438402959	Öz 300/95 R52 AGRÖ10 159/156A8/D TL	113,4	777,0	932,4
UR9554270102OZK	4251438402966	Öz 270/95 R54 AGRÖ10 146/146A8/B TL	103,6	705,0	846,0
<b>Implement</b>					
U1121001OZK	4251438402225	Öz 5.00-12 KNK52 62A6 4PR TT	6,0	41,0	
U1122011OZK	4251438402256	Öz 6.50/80-12 KNK54 80A6 6PR TT	7,2	45,0	54,0
U1124032OZK	4251438402287	Öz 10.0/80-12 KNK42 117A8 10PR TL	14,5	95,0	114,0
U1124132OZK	4251438402270	Öz 10.0/80-12 KNK48 116A8 10PR TL	17,4	116,0	139,2
U1123011OZK	4251438402232	Öz 7.00-12 KNK52 83A6 6PR TT	9,9	66,0	79,2

Kood		Rehvi mõõt	Kaal	Hind km-ta	Hind km-ga
U1131011OZK	4251438402249	Öz 6.50/80-13 KNK52 82A6 6PR TT	7,5	50,0	60,0
U1151011OZK	4251438402263	Öz 5.00-15 KNK140 76A6 6PR TT	6,8	53,0	63,6
U1152011OZK	4251438402201	Öz 6.50/80-15 KNK50 86A6 6PR TT	7,9	55,0	66,0
		<b>OTR Radiaal</b>			
UR8024440712OZK	4251438403055	Öz 440/80 R24 OR71 154/154A8/B PR TL	110,0	728,0	873,6
UR7024460712OZK	4251438406445	Öz 460/70 R24 OR71 159/159A8/B PR TL	101,9	650,0	
UR8028440712OZK	4251438403062	Öz 440/80 R28 OR71 156/156A8/B PR TL	121,0	831,0	997,2
		<b>OTR Diagonaal</b>			
U6161142OZK	4251438406483	Öz 10-16,5 KNK66 138A3 12 TL	29,5	202,0	242,4
U6182052OZK	4251438403741	Öz 12,5/80-18 KNK66 146A8 14 TL	45,0	317,0	380,4
U6183052OZK	4251438402478	Öz 340/80-18 IND88 146A8 14PR TL	46,4	305,0	366,0
U6181042OZK	4251438402355	Öz 10.5/80-18 IND80 135A8 12PR TL	29,1	215,0	258,0
U6182152OZK	4251438402362	Öz 12.5/80-18 IND80 146A8 14PR TL	44,4	288,0	345,6
U6182252OZK	4251438403734	Öz 12.5/80-18 IND85 146A8 14PR TL	47,0	290,0	348,0
U6182352OZK	4251438402461	Öz 12.5/80-18 IND88 146A8 14PR TL	44,6	289,0	346,8
U6201041OZK	4251438402638	Öz 9.00-20 KNK88 157A2 12PR TT	50,5	318,0	381,6
U6207262OZK	4251438406506	Öz 16,0/70-20 IND88 166A2 16 TL	66,9	446,0	535,2
U6206052OZK	4251438403772	Öz 14,5-20 IND88 146A8 14PR TL	55,6	382,0	458,4
U6202061OZK	4251438402294	Öz 10.00-20 KNK44 146 / 143A8 16PR TT	46,8	328,0	393,6
U6202062OZK	4251438402300	Öz 10.00-20 KNK44 146 / 143A8 16PR TL	50,1	343,0	411,6
U6203061OZK	4251438402645	Öz 11.00-20 KNK88 168A2 16PR TT	72,9	423,0	507,6
U6207062OZK	4251438402379	Öz 16.0/70-20 IND80 166A2 16PR TL	66,8	446,0	535,2
U6248052OZK	4251438406629	Öz 19,5L-24(500/70-24) IND80 154A8 14 TL	98,0	649,0	778,8
U6243062OZK	4251438402386	Öz 15.5/80-24 IND80 162A8 16PR TL	77,9	510,0	612,0
U6247052OZK	4251438402416	Öz 17.5L-24 IND80 154A8 14PR TL	77,2	512,0	614,4
U6246062OZK	4251438402409	Öz 16.9-24 IND80 152A8 16PR TL	86,2	544,0	652,8
U6241062OZK	4251438402584	Öz 13.00-24 KNK72 151A8 16PR TL	69,7	495,0	594,0
U6242062OZK	4251438402607	Öz 14.00-24 KNK72 153A8 16PR TL	86,4	571,0	685,2
U6242002OZK	4251438402485	Öz 14.00-24 KNK70 186A2 24PR TL	112,8	771,0	925,2
U6242042OZK	4251438402492	Öz 14.00-24 KNK70 190A2 32PR TL	126,5	888,0	1065,6
U6245062OZK	4251438402393	Öz 16.0/70-24 IND80 169A2 16PR TL	79,2	507,0	608,4
U6244062OZK	4251438402614	Öz 16.00-24 KNK74 163A6 16PR TL	122,0	773,0	927,6
U6251062OZK	4251438403901	Öz 15,5-25 KNK70 175A2 16 TL	86,2	709,0	850,8
U6257042OZK	4251438402553	Öz 29,5-25 KNK70 210A2 32PR TL	538,4	4236,0	5083,2
U6251052OZK	4251438402423	Öz 15.5-25 IND80 173A2 14PR TL	86,1	549,0	658,8
U6252082OZK	4251438402508	Öz 17,5-25 KNK70 181A2 20PR TL	134,8	920,0	1104,0
U6254002OZK	4251438402515	Öz 20,5-25 KNK70 189A2 24PR TL	213,6	1434,0	1720,8
U6255002OZK	4251438402522	Öz 23,5-25 KNK70 196A2 24PR TL	275,1	2010,0	2412,0
U6256022OZK	4251438402539	Öz 26,5-25 KNK70 203A2 28PR TL	425,6	2830,0	3396,0
U6256042OZK	4251438402546	Öz 26,5-25 KNK70 206A2 32PR TL	431,6	3091,0	3709,2
U6262052OZK	4251438402621	Öz 23.1-26 KNK77 166A8 14PR TL	139,4	974,0	1168,8
U6261052OZK	4251438402430	Öz 18.4-26 IND80 160A8 14PR TL	107,1	691,0	829,2
U6281052OZK	4251438402447	Öz 16.9-28 IND80 156A8 14PR TL	93,0	559,0	670,8
U6301062OZK	4251438402454	Öz 16.9-30 IND80 156A8 16PR TL	100,1	659,0	790,8
U6161242OZK	4251438402331	Öz 10-16.5 IND80 138A3 12PR TL	23,3	156,0	187,2
U6161042OZK	4251438402317	Öz 10-16.5 KNK65 138A3 12PR TL	29,4	200,0	240,0
U6162252OZK	4251438402348	Öz 12-16.5 IND80 144A3 14PR TL	31,1	208,0	249,6
U6162052OZK	4251438402324	Öz 12-16.5 KNK65 148A3 14PR TL	40,7	269,0	322,8
U6162152OZK	4251438406452	Öz 12-16.5 KNK66 148A3 14PR TL	41,0	275,0	330,0
		<b>Military</b>			

Kood		Rehvi mõõt	Kaal	Hind km-ta	Hind km-ga
U6184021OZK	4251438402829	Öz 13.00-18 KNK14 131F 8PR TT	61,2	489,0	<b>586,8</b>
U6204041OZK	4251438402805	Öz 12.5-20 KNK12 132F 12PR TT	44,2	358,0	<b>429,6</b>
U6205071OZK	4251438402836	Öz 14.00-20 KNK10 160/157F 18PR TT	73,4	603,0	<b>723,6</b>
U6205081OZK	4251438402812	Öz 14.00-20 KNK10 161/158F 20PR TT	71,8	606,0	<b>727,2</b>